

Avenue 2







IP44
Class 1


Aluminium or tinted lacquered brass
Clear glass or opal PMMA diffuser

SOURCES


LED 13W - 3000K warm white
E27 - 105W max H200 mm max (except model 3)
Ø66 mm - H200 mm max (model 3)
E27 SHP & IM on request




Model 1 to 11 except 3
LED 13W - IP65 module
Real light output/opal - 384 lm
Real light output/clear - 413 lm
CRI > 80




Model 3
LED 13W - IP65 module
Real light output - 477 lm
CRI > 80



Models 1, 2, 4, 8
E27 (2450 lm)
Real light output - 653 lm




Models 5, 6, 7, 9, 11
E27 (2450 lm)
Real light output - 1463 lm



Model 3
E27 (1520 lm)
Real light output - 771 lm

MODELS

height/width/depth



REFERENCES

Replace ... with the colour code or material code

MODELS	DIFFUSERS	E27	LED 13W 3000K warm white	CORNER PLATES p.319	SPARE DIFFUSERS
1	CLEAR GLASS	102 001 ...	102 002 ...		165 003 609
	OPAL PMMA		102 003 ...		165 003 606
2	CLEAR GLASS	102 004 ...	102 005 ...	147 001 ...	165 003 609
	OPAL PMMA		102 006 ...		165 003 606
3	CLEAR GLASS	102 007 ...	102 008 ...		165 002 609
4	CLEAR GLASS	102 010 ...	102 011 ...	147 004 ...	165 003 609
	OPAL PMMA		102 012 ...		165 003 606
5	CLEAR GLASS	102 013 ...	102 014 ...		165 003 609
	OPAL PMMA		102 015 ...		165 003 606
6	CLEAR GLASS	102 016 ...	102 017 ...		165 003 609
	OPAL PMMA		102 018 ...		165 003 606
7	CLEAR GLASS	102 019 ...	102 020 ...	147 004 ...	165 003 609
	OPAL PMMA		102 021 ...		165 003 606
8	CLEAR GLASS	102 022 ...	102 023 ...		165 003 609
	OPAL PMMA		102 024 ...		165 003 606
9	CLEAR GLASS	102 025 ...	102 026 ...		165 003 609
	OPAL PMMA		102 027 ...		165 003 606
11	CLEAR GLASS	102 028 ...	102 029 ...		165 003 609
	OPAL PMMA		102 030 ...		165 003 606

COLOURS CODES

Replace ... with the colour code

	RAL 9005 JET BLACK	000
	RAL 6009 BRITISH GREEN	019
	RAL 6009 FIR GREEN	067
	GREEN PATINA	008
	GOLD PATINA	009

Other colours on request

MATERIAL CODE

TINTED LACQUERED BRASS 70 (Black aluminium base)

MOUNTING

Wiring entry points in grey - Fixing kit included - Anchor bolts on request (model 11) p. 318

