

Olympic 3






Olympic 3

IP55
Class 1


Aluminium
Frosted tempered glass diffuser

SOURCES

LED 28W - 3000K warm white
LED 28W - 4500K neutral white
E27 - 23W max Ø66 mm - H145 mm max
E27 PAR30 - 75W max
G12 IM on request




LED 28W
Real light output - 1303 lm
CRI > 80



MODELS

height / width / depth



Olympic 3

REFERENCES

Replace ●●● with the colour code

MODELS	E27	E27 PAR30	LED 28W 3000K warm white	LED 28W 4500K neutral white
1	144 001 ●●●	144 002 ●●●	144 005 ●●●	144 004 ●●●
2	144 006 ●●●	144 007 ●●●		
3	144 008 ●●●	144 009 ●●●		
4	144 010 ●●●	144 011 ●●●	144 014 ●●●	144 013 ●●●
5	144 015 ●●●	144 016 ●●●	144 019 ●●●	144 018 ●●●
6	144 020 ●●●	144 021 ●●●	144 024 ●●●	144 023 ●●●
7	144 025 ●●●	144 026 ●●●		

COLOURS CODES

Replace ●●● with the colour code

■	RAL 7021 BLACK GREY	107
■	DARK GREY	006
■	SLATE GREY	059
■	METAL GREY	023
■	WHITE	001
■	LIMESTONE	053
■	RAL 3013 TOMATO RED	110
■	OLD RUSTIC	046

Other colours on request

MOUNTING

Wiring entry points in grey - Fixing kit included - Anchor bolts on request (model 5 to 7) p. 318

