

MLBWL012ANTBRS


Antique Brass

 Θ



MATERIAL	Brass Aluminium Glass
HEIGHT	31.5cm 12.4"
WIDTH DIAMETER	28cm 11.02"
LENGTH PROJECTION	29cm 11.42"
WEIGHT	1.35kg 2.98lb
LAMPHOLDER	E27
MAX WATTAGE	6.5W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GLWP01
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	

FIXING BRACKET MLWB09 | Antique Brass





Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/lerms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.








MLBWL012ANTSLV


Antique Silver





MATERIAL	Brass Aluminium Glass
HEIGHT	31.5cm 12.4"
WIDTH DIAMETER	28cm 11.02"
LENGTH PROJECTION	29cm 11.42"
WEIGHT	1.35kg 2.98lb
LAMPHOLDER	E27
MAX WATTAGE	6.5W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GLWP01
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	

FIXING BRACKET MLWB09 | Antique Silver





Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/lerms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.








MLBWL012NATBRS



MATERIAL	Brass Aluminium Glass
HEIGHT	31.5cm 12.4"
WIDTH DIAMETER	28cm 11.02"
LENGTH PROJECTION	29cm 11.42"
WEIGHT	1.35kg 2.98lb
LAMPHOLDER	E27
MAX WATTAGE	6.5W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GLWP01
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	

FIXING BRACKET MLWB09 | Natural Brass





Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/lerms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.








MLBWL012PCMBK

Matt Black



MATERIAL	Brass Aluminium Glass
HEIGHT	31.5cm 12.4"
WIDTH DIAMETER	28cm 11.02"
LENGTH PROJECTION	29cm 11.42"
WEIGHT	1.35kg 2.98lb
LAMPHOLDER	E27
MAX WATTAGE	6.5W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GLWP01
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	

FIXING BRACKET MLWB09 | Matt Black





Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.








MLBWL012PCWTE

White



MATERIAL	Brass Aluminium Glass
HEIGHT	31.5cm 12.4"
WIDTH DIAMETER	28cm 11.02"
LENGTH PROJECTION	29cm 11.42"
WEIGHT	1.35kg 2.98lb
LAMPHOLDER	E27
MAX WATTAGE	6.5W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GLWP01
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	

FIXING BRACKET MLWB09 | White





Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.








MLBWL012POLBRS

Polished Brass



MATERIAL	Brass Aluminium Glass
HEIGHT	31.5cm 12.4"
WIDTH DIAMETER	28cm 11.02"
LENGTH PROJECTION	29cm 11.42"
WEIGHT	1.35kg 2.98lb
LAMPHOLDER	E27
MAX WATTAGE	6.5W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GLWP01
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	

FIXING BRACKET MLWB09 | Polished Brass





Product Notes:
1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.








MLBWL012SATBRS

Satin Brass



MATERIAL	Brass Aluminium Glass
HEIGHT	31.5cm 12.4"
WIDTH DIAMETER	28cm 11.02"
LENGTH PROJECTION	29cm 11.42"
WEIGHT	1.35kg 2.98lb
LAMPHOLDER	E27
MAX WATTAGE	6.5W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GLWP01
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	

FIXING BRACKET MLWB09 | Satin Brass





Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



