

OREGON-A Ceiling Light

MLCF105ANTBRSC L Antique Brass



MATERIAL	Brass Glass	FIXING BRACKET	MLROSE39 Antique Brass
HEIGHT	23.5cm 9.25"		
WIDTH DIAMETER	10cm 3.94"		
LENGTH PROJECTION	n/a		
WEIGHT	0.94kg 2.07lb		
LAMPHOLDER	E27		
MAX WATTAGE	40W		
VOLTAGE	220/240v		
IP RATING	IP65		
CLASS PROTECTION	2		
SHADE	GL147		
FLEX BAR CHAIN LENGTH	n/a		
CABLE TYPE	-		



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



OREGON-A Ceiling Light

MLCF105ANTBRSCR Antique Brass



MATERIAL	Brass Glass
HEIGHT	23.5cm 9.25"
WIDTH DIAMETER	10cm 3.94"
LENGTH PROJECTION	n/a
WEIGHT	0.94kg 2.07lb
LAMPHOLDER	E27
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GL144
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	-

FIXING BRACKET MLROSE39 | Antique Brass



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



OREGON-A Ceiling Light

MLCF105ANTBRSFR Antique Brass



MATERIAL	Brass Glass
HEIGHT	23.5cm 9.25"
WIDTH DIAMETER	10cm 3.94"
LENGTH PROJECTION	n/a
WEIGHT	0.94kg 2.07lb
LAMPHOLDER	E27
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GL148
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	-

FIXING BRACKET MLROSE39 | Antique Brass



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



OREGON-A Ceiling Light

MLCF105ANTSLVCL Antique Silver



MATERIAL	Brass Glass	FIXING BRACKET	MLROSE39 Antique Silver
HEIGHT	23.5cm 9.25"		
WIDTH DIAMETER	10cm 3.94"		
LENGTH PROJECTION	n/a		
WEIGHT	0.94kg 2.07lb		
LAMPHOLDER	E27		
MAX WATTAGE	40W		
VOLTAGE	220/240v		
IP RATING	IP65		
CLASS PROTECTION	2		
SHADE	GL147		
FLEX BAR CHAIN LENGTH	n/a		
CABLE TYPE	-		



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



OREGON-A Ceiling Light

MLCF105ANTSLVCR Antique Silver



MATERIAL	Brass Glass
HEIGHT	23.5cm 9.25"
WIDTH DIAMETER	10cm 3.94"
LENGTH PROJECTION	n/a
WEIGHT	0.94kg 2.07lb
LAMPHOLDER	E27
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GL144
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	-

FIXING BRACKET MLROSE39 | Antique Silver



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



OREGON-A Ceiling Light

MLCF105ANTSLVFR Antique Silver



MATERIAL	Brass Glass
HEIGHT	23.5cm 9.25"
WIDTH DIAMETER	10cm 3.94"
LENGTH PROJECTION	n/a
WEIGHT	0.94kg 2.07lb
LAMPHOLDER	E27
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GL148
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	-

FIXING BRACKET MLROSE39 | Antique Silver



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



OREGON-A Ceiling Light

MLCF105NATBRSC L Natural Brass



MATERIAL	Brass Glass	FIXING BRACKET	MLROSE39 Natural Brass
HEIGHT	23.5cm 9.25"		
WIDTH DIAMETER	10cm 3.94"		
LENGTH PROJECTION	n/a		
WEIGHT	0.94kg 2.07lb		
LAMPHOLDER	E27		
MAX WATTAGE	40W		
VOLTAGE	220/240v		
IP RATING	IP65		
CLASS PROTECTION	2		
SHADE	GL147		
FLEX BAR CHAIN LENGTH	n/a		
CABLE TYPE	-		



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



OREGON-A Ceiling Light

MLCF105NATBRSCR Natural Brass



MATERIAL	Brass Glass	FIXING BRACKET	MLROSE39 Natural Brass
HEIGHT	23.5cm 9.25"		
WIDTH DIAMETER	10cm 3.94"		
LENGTH PROJECTION	n/a		
WEIGHT	0.94kg 2.07lb		
LAMPHOLDER	E27		
MAX WATTAGE	40W		
VOLTAGE	220/240v		
IP RATING	IP65		
CLASS PROTECTION	2		
SHADE	GL144		
FLEX BAR CHAIN LENGTH	n/a		
CABLE TYPE	-		



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



OREGON-A Ceiling Light

MLCF105NATBRSFR Natural Brass



MATERIAL	Brass Glass
HEIGHT	23.5cm 9.25"
WIDTH DIAMETER	10cm 3.94"
LENGTH PROJECTION	n/a
WEIGHT	0.94kg 2.07lb
LAMPHOLDER	E27
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GL148
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	-

FIXING BRACKET MLROSE39 | Natural Brass



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.





OREGON-A Ceiling Light

MLCF105POLBRSCCL Polished Brass



MATERIAL	Brass Glass	FIXING BRACKET	MLROSE39 Polished Brass
HEIGHT	23.5cm 9.25"		
WIDTH DIAMETER	10cm 3.94"		
LENGTH PROJECTION	n/a		
WEIGHT	0.94kg 2.07lb		
LAMPHOLDER	E27		
MAX WATTAGE	40W		
VOLTAGE	220/240v		
IP RATING	IP65		
CLASS PROTECTION	2		
SHADE	GL147		
FLEX BAR CHAIN LENGTH	n/a		
CABLE TYPE	-		



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



OREGON-A Ceiling Light

MLCF105POLBRSCR Polished Brass



MATERIAL	Brass Glass	FIXING BRACKET	MLROSE39 Polished Brass
HEIGHT	23.5cm 9.25"		
WIDTH DIAMETER	10cm 3.94"		
LENGTH PROJECTION	n/a		
WEIGHT	0.94kg 2.07lb		
LAMPHOLDER	E27		
MAX WATTAGE	40W		
VOLTAGE	220/240v		
IP RATING	IP65		
CLASS PROTECTION	2		
SHADE	GL144		
FLEX BAR CHAIN LENGTH	n/a		
CABLE TYPE	-		



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



OREGON-A Ceiling Light

MLCF105POLBRSFR Polished Brass



MATERIAL	Brass Glass	FIXING BRACKET	MLROSE39 Polished Brass
HEIGHT	23.5cm 9.25"		
WIDTH DIAMETER	10cm 3.94"		
LENGTH PROJECTION	n/a		
WEIGHT	0.94kg 2.07lb		
LAMPHOLDER	E27		
MAX WATTAGE	40W		
VOLTAGE	220/240v		
IP RATING	IP65		
CLASS PROTECTION	2		
SHADE	GL148		
FLEX BAR CHAIN LENGTH	n/a		
CABLE TYPE	-		



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



OREGON-A Ceiling Light

MLCF105SATBRSCS Satin Brass



MATERIAL	Brass Glass
HEIGHT	23.5cm 9.25"
WIDTH DIAMETER	10cm 3.94"
LENGTH PROJECTION	n/a
WEIGHT	0.94kg 2.07lb
LAMPHOLDER	E27
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GL147
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	-

FIXING BRACKET MLROSE39 | Satin Brass



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



OREGON-A Ceiling Light

MLCF105SATBRSCR Satin Brass



MATERIAL	Brass Glass	FIXING BRACKET	MLROSE39 Satin Brass
HEIGHT	23.5cm 9.25"		
WIDTH DIAMETER	10cm 3.94"		
LENGTH PROJECTION	n/a		
WEIGHT	0.94kg 2.07lb		
LAMPHOLDER	E27		
MAX WATTAGE	40W		
VOLTAGE	220/240v		
IP RATING	IP65		
CLASS PROTECTION	2		
SHADE	GL144		
FLEX BAR CHAIN LENGTH	n/a		
CABLE TYPE	-		



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



OREGON-A Ceiling Light

MLCF105SATBRSFR Satin Brass



MATERIAL	Brass Glass
HEIGHT	23.5cm 9.25"
WIDTH DIAMETER	10cm 3.94"
LENGTH PROJECTION	n/a
WEIGHT	0.94kg 2.07lb
LAMPHOLDER	E27
MAX WATTAGE	40W
VOLTAGE	220/240v
IP RATING	IP65
CLASS PROTECTION	2
SHADE	GL148
FLEX BAR CHAIN LENGTH	n/a
CABLE TYPE	-

FIXING BRACKET MLROSE39 | Satin Brass



www.mullanlighting.com

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

